

**AMENDMENTS**

1. (Currently Amended) An integrated video and data system comprising:  
a video signal to be displayed on a display device; ~~and~~  
a data signal to be displayed on the display device; and  
~~wherein the data signal comprises data processed by a wizard~~ to process data, the wizard  
comprising;  
a graphical user interface through which a user inputs data, the graphical user  
interface having;  
a first prompt to identify the data to be input;  
a first input box to collect the input data;  
a second prompt to identify a time in the video signal at which the data is to  
be displayed; and  
a second input box to collect the time; and  
a translator to process the input data; and  
a signal integrator to integrate the data signal is integrated into the video signal such that an  
integrated signal is formed,  
wherein the data signal comprises data processed by the wizard.
2. (Previously Presented) The integrated video and data system of claim 1, wherein the  
translator processes the input data by generating an XML file comprising the input data.
3. (Previously Presented) The integrated video and data system of claim 2 further  
comprising:  
an XSL parser to generate an HTML file comprising the input data.

4-5. (Canceled)

6. (Currently Amended) The integrated video and data system of claim 1, wherein ~~the data stream comprises~~ the wizard processes data directed at a game show and resultant processed data is integrated into the integrated signal.

7. (Currently Amended) The integrated video and data system of claim 1 wherein ~~the data stream comprises~~ the wizard processes data directed at voting using interactive television and resultant processed data is integrated into the integrated signal.

8. (Currently Amended) The integrated video and data system of claim 1 wherein ~~the data stream comprises~~ the wizard processes data directed at a form for collecting viewer input and resultant processed data is integrated into the integrated signal.

9-16. (Canceled)

17. (Currently Amended) A method of creating interactive content for a television program comprising:

selecting a frame during said television program to display content;

using a graphical interface to capture said content;

translating said content into XML;

parsing said XML using a first XSL parser into HTML code;

integrating the HTML code into the television program such that an integrated program signal is formed;

displaying said HTML code with said television program in an interactive fashion on a first device.

18. (Previously Presented) The method of claim 17 further comprising:  
parsing said XML using a second XSL parser into HTML code; and  
displaying said HTML code with said television program in an interactive fashion on a second device.

19. (Currently Amended) A method of generating HTML pages for a plurality of interactive television systems by non-technical users comprising ~~the steps of:~~  
entering content information to be displayed on said HTML pages in a graphical user interface;  
translating said content information into XML code;  
translating said XML code into HTML code for a first interactive television system using a first XSL parser;  
translating said XML code into HTML code for a second interactive television system using a second XSL parser; and  
integrating said HTML code into a television signal to form an integrated signal such that the HTML code is displayed on a display device as part of the television signal.

20. (Previously Presented) The integrated video and data system of claim 1, wherein the integrated signal is displayed in a webTV format.

21. (Previously Presented) The integrated video and data system of claim 1, wherein the integrated signal is displayed in a AOLTV format.

22. (Currently Amended) An integrated video and data system comprising:  
a video signal to be displayed on a display device; ~~and~~  
a data signal to be displayed on the display device; and  
~~wherein the data signal comprises data processed by a wizard~~ to process data, the wizard  
comprising;  
a graphical user interface through which a user inputs data, the graphical user  
interface having;  
a first prompt to identify the data to be input;  
a first input box to collect the input data;  
a second prompt to identify a time in the video signal at which the data is to be  
displayed;  
a second input box to collect the time; and  
a translator to process the input data; ~~and~~  
wherein the data signal is integrated into the video signal such that a single integrated signal  
is formed, and  
wherein the data signal comprises data processed by the wizard.

23. (Previously Presented) The integrated video and data system of claim 20, wherein the  
integrated signal is displayed on a plurality of monitors.